CLAIM AMENDMENTS

1. (Original) A pharmaceutical formulation, administered orally after dispersing in water at therapeutic doses which comprises of,

a. alendronate microparticles coated with a polymer insoluble at pH 6 - 7.5, and alginic acid or sodium alginate or admixtures there of, where

b. alendronate dissolves in 900 ml 0.1 N HCl at the rate of not less than 85% of within 30 minutes at the range of pH 1 - 4,

c. the dispersion in a glass of 250 ml. water at the degree of 25°C contains no dissolved alendronate at pH 6 - 7.5 or at the most 10% w/v of alendronate dissolved in 3 minutes.

2. (original) The pharmaceutical formulation as claimed in claim 1, comprises lubricants, diluents, flavors and sweeteners or their mixture thereof.

3. (original) The pharmaceutical formulation as claimed in claim 2, where in the diluent is preferably selected from lactose and microcrystalline cellulose or admixtures thereof.

4. (Currently amended) The pharmaceutical formulation as claimed in claim 2, where in the sweetener is selected from aspartame, potassium acesulfame, monoammonium glycyrrhizinate, sodium saccharine, sucrose and its derivatives, ~~polioles~~ polyols and their derivatives, are preferably used alone or in combination.

5. (original) The pharmaceutical formulation as claimed in claim 1, where in the polymers are selected from, preferably polymethacrylates, polyvinyl acetate diethylaminoacetate and poly butyl methacrylate / 2-dimethylamino-ethyl methacrylate/methyl methacrylate copolymers or their mixtures thereof.

6. (original) The pharmaceutical formulation as claimed in claim 1, where in the polymers are, Poly(butyl methacrylate, (2-dimethyl aminoethyl) methacrylate, methyl methacrylate) 1:2:1 is preferred.

7. (original) The pharmaceutical formulation as claimed in claim 1, which is dispersed in a glass of 250 ml water at the degree of 25°C at pH 6 - 7.5, contains alendronate in between 0.001% w/v - 3% w/v.

8. (original) The pharmaceutical formation as claimed in claim 1 where in the alendronate is alendronate monosodium trihydrate or pharmaceutically acceptable derivatives.

9. (original) The pharmaceutical formulation as claimed in claim 1, which is dispersed in a glass of 250 ml. water at the degree of 25°C at pH 6 - 7.5, contains alginic acid or sodium alginate or their mixtures in between 0.001% w/v - 2% w/v.

10. (New) A pharmaceutical formulation, which is orally administered after dispersing in water, which comprises: alendronate microparticles coated with a polymer insoluble at pH 6 to 7.5, wherein the polymer comprises polybutyl methacrylate, (2-dimethylaminoethyl)methacrylate and methyl methacrylate in a 1:2:1 ratio; alginic acid or sodium alginate or admixtures thereof; sucrose and sodium saccharine as sweeteners; microcrystalline cellulose as diluent; and colloidal silica as a lubricant, wherein the alendronate dissolves in 900 ml of 0.1N HCl at a rate of not less than 85% within 30 minutes at a pH of 1 to 4, and wherein the resulting dispersion in water at 25°C contains either no dissolved alendronate at a pH of 6 to 7.5, or at most 10% w/of dissolved alendronate after 3 minutes.